

**IN THE CLAIMS:**

Please amend the claims as follows, this listing of the claims will replace all prior versions, and listings, of claims in the application:

1. (Canceled)
2. (Currently amended) The insert according to ~~claim 1~~ claim 5, wherein said second side is disposed opposite said first side.
3. (Canceled)
4. (Currently amended) The insert according to ~~claim 1~~ claim 5, wherein said frame has a third side and is rigid at least in an area of said third side, said third side oriented transversely with respect to said first side.
5. (Currently amended) ~~The insert according to claim 1,~~ An insert for a door storage compartment, the insert comprising:  
a frame enclosing at least one chamber and having a first side and an attachment device disposed at said first side, said attachment device provided for attaching to the door storage compartment, said frame having a second side with at least one indentation formed therein for fixing an object located outside of said frame, wherein said frame is flexible and elastic, at least in an area of said second side; and  
wherein said frame forms at least two chambers; and further comprising a web separating said two chambers from one another, and said web is connected to only one of said first and second sides.
6. (Original) The insert according to claim 5, wherein said web has an unconnected end which is not connected to said first side.

7. (Original) The insert according to claim 6, wherein said web is connected to said indentation formed in said second side.

8. (Canceled)

9. (Previously presented) The insert according to claim 13, wherein said web has a greater wall thickness than said frame.

10. (Original) The insert according to claim 5, wherein said frame has a bottom and is open at said bottom, at least in a vicinity of said web.

11. (Currently amended) The insert according to ~~claim 4~~ claim 5, wherein said frame forms chambers of different sizes.

12. (Canceled)

13. (Previously presented) An insert for a door storage compartment, the insert comprising:

a frame enclosing at least two chambers and having a first side and an attachment device disposed at said first side, said attachment device provided for attaching to the door storage compartment, said frame having a second side with at least one indentation formed therein for fixing an object located outside said frame; and

a web separating said two chambers from one another, with said web connected to only one of said first and second sides, said web having an unconnected end which is not connected to said first side, and wherein said unconnected end of said web can be brought into contact with said first side by reversible elastic deformation of said frame.

14. (Previously presented) The insert according to claim 13, wherein said web is connected to said indentation formed in said second side.

15. (Previously presented) The insert according to claim 13, wherein said frame has a bottom and is open at said bottom, at least in a vicinity of said web.

16. (Previously presented) The insert according to claim 13, wherein said frame forms chambers of different sizes.